BENGAL CHEMICALS & PHARMACEUTICALS

(A Govt. of India Enterprise)

Bengal Chemicals & Pharmaceuticals Limited 168 Manicktala Main Road, Kolkata-700054 West Bengal, India.

Tender for Miscellaneous Civil Work in New Ointment Block

<u> 1411 </u>								
Tender No	BCPL/LT/Project/CNO/02/14-15							
Tender Date	2 nd March, 2015							
EMD	Rs: 10,000/-							
(Mandatory, without EMD, no bidder will qualify								
the technical round)								
Demand Draft Address	All DD will be in favor of Bengal Chemicals &							
	Pharmaceuticals Limited, payable at Kolkata.							
Address for Bid submission & Evaluation	Purchase Department,							
	Bengal Chemicals & Pharmaceuticals.							
	168, Manicktala Main Road, Kolkata –700 054.							
Last date & Time of Bid Submission	12 th March, 2015 up to 3:00Pm							
Opening of Bid	12 th March, 2015 up to 3:30Pm							
Venue for Bid submission & Opening	Purchase Department, Bengal Chemicals &							
	Pharmaceuticals Ground Floor of Manicktala Main							
	Office, Manicktala Main Road, Kolkata – 54.							

SCOPE OF WORK

The scope of work under this tender covers civil construction, repair, aluminum fabrication etc; Detail of the work is as mentioned in Bill of quantity (BoQ).

COMPLETION PERIOD: One (01) Month, will be reckoned from the date order acceptance/issued.





Eligibility Criteria:

The Tenderer to qualify the below criteria for participating in this tender,

- Tenderer must have executed under their Company/ firm's name & style at least 3(three) similar type of order for civil construction, repair and of similar type of work.
- Documentary evidence (duly signed & stamped) must be enclosed with the bid.
 Tenderer must have valid registration certificate for Sales Tax, Income Tax, Provident Fund / ESI and Trade License.

(Documentary Evidence to be accompanied the technical Bid)

Bid submission Criteria:

Bidders to be submitted their Bids under two separate sealed covers, one cover containing Part 1 (Un-priced Bid / Technical Bid) & the other cover containing Part 2 (Priced Bid / Commercial Bid). Indicating Tender Name, No, Date with Tender Due Date.. These two bids should be submitted in a single sealed cover with the respective Tender No & Item. Mentioned thereon, complete in all respect, addressed to the DM (Purchase), BENGAL CHEMICALS & PHARMACEUTICALS LTD, 168, MANIKTALA MAIN ROAD. KOLKATA-700 054.

VALIDITY OF OFFER:

Bidders shall keep their offer valid for a period 90 days from the due date / extended due date (if any) of the tender-opening.

NON-CONFORMANCE

Tenders not conforming to the above mentioned requirement are liable to be rejected.

RIGHT OF ACCEPTANCE / REJECTION

Mere issue of tender document and submission of bids does not necessarily qualify for consideration of bids Bengal Chemicals & Pharmaceuticals Ltd reserve the right to accept or reject any tender either in part or in full without assigning any reason whatsoever.

CLARIFICATIONS

For any clarifications please contact Manager Projects & Engineering, BCPL, Manicktala, phone No: (033) 2320-4153 (Ext-108), Mobile no: +91-9830851116.

TERMS OF PAYMENT:

RA Bill (Running Account Bill) is accepted above 1Lakh.

INSPECTION:

Materials on its arrival at Client's site will be inspected by Stores In-charge / Client's Representative and Engineer-in-charge and their decision in the matter will be final & binding upon also to the vendor.

Technical Specification:

Works will be executed as per CPWD specification with all updated correction slips

TEST CERTIFICATES:

Test Certificates, shall be obtained and furnished to the client free of cost along with the supply. Client reserve the right to avail third party for inspection and testing.

Dispute if any to be settled within BCPL, Manicktala, Kolkata jurisdiction.

Palman



FORM OF BID

(To be submitted by the Bidder)

M/s. BCPL, Kolkata
Sub:
Dear Sir, 1. Having carefully examined all the Tender documents attached to your Invitation to Bid No.
Witness – Authorised Signature
Signature
Occupation
Date
Address
Witness –: DESIGNATION

Balmain



SCHEDULE OF CONFIRMATION

Questionnaire on Commercial Points to be answered by the Bidder

1.0 Name of Bidder Firm/Company	
1.1Address:	
1.2Telephone No. :	
1.3 Fax. No. & E-mail Address :	
1.4 Banker's Name & Address :	
1.5 Name & Full address of Chief executive :	
1.6 Name, Designation and full address of contact person and :	
Cell No. ,	E-mail address.
Cell No. , 1.7 Place of manufacture of supply item :	E-mail address.
	E-mail address.
1.7 Place of manufacture of supply item :	E-mail address.
1.7 Place of manufacture of supply item :1.8 Other information if any (enclose separate sheets) :	E-mail address.
1.7 Place of manufacture of supply item :1.8 Other information if any (enclose separate sheets) :1.9 VALIDITY OF BID	E-mail address.



BILL OF QUANTITY AND PRICE BID FORM

SL NO	DESCRIPTION OF ITEMS OF WORK	QTY	UNIT	RATE(RS)	AMOUNT (RS)	REMARKS
1	DESCRIPTION OF ITEMS OF WORK	QII	UNIT	KATE(K3)	(KS)	REIVIARRS
	Demolishing brick work manually/ by mechanical means including stacking of serviceable material and disposal of unserviceable material within 50 metres lead as per direction of Engineer-in-charge: In cement mortar	1.2	cum			
2	lead as per direction of Engineer-in-charge. In ternent mortal	1.2	Cuiii			
	Dismantling steel work in single sections including dismembering and stacking within 50 metres lead in: Channels, angles, tees and flats	50	kg			
3						
	Dismantling steel work in built up sections in angles, tees, flats and channels including all gusset plates, bolts, nuts, cutting rivets, welding etc. including dismembering and stacking within 50metres lead	50	kg			
4	Taking out doors, windows and clerestory window shutters (steel or wood) including stacking within 50 metres lead: 15.13.1 Of area 3 sq. metres and below(1.92sqm)	1	Each			
5	Cement concrete 1:2:4 (1 cement : 2 coarse sand : 4 graded stone aggregate 40 mm nominal size) in pavements, laid to required slope and camber in panels as required including consolidation finishing and tamping complete.	1.72	cum			
6	Brick work with common burnt clay F.P.S. (non modular) bricks of class designation 7.5 in foundation and plinth in: Cement mortar 1:6 (1 cement : 6 coarse sand)	1.72	cum			
7	Half brick masonry with common burnt clay F.P.S. (non modular) bricks of class designation 7.5 in foundations and plinth in : cement mortar 1:4 (1 cement : 4 coarse sand)	13.75	sqm			





SL					AMOUNT	
NO	DESCRIPTION OF ITEMS OF WORK	QTY	UNIT	RATE(RS)	(RS)	REMARKS
	Centering and shuttering including strutting, propping etc. and removal of form					
8	work for :Foundations, footings, bases for columns	5.5	sqm			
	Providing and laying in position cement concrete of specified grade excluding					
	the cost of centering and shuttering - In all level: 1:2:4 (1 cement: 2 coarse					
9	sand : 4 graded stone aggregate 20 mm nominal size)	2.91	cum			
10	Providing, hoisting and fixing up to floor five level precast reinforced cement concrete work in string courses, bands, copings, bed plates, anchor blocks, plain window sills and the like, including the cost of required centering, shuttering but excluding cost of reinforcement, with 1:2:4 (1 cement: 2 coarse sand: 4 graded stone aggregate 20 mm nominal size)	4.73	cum			
11	Kota stone slab flooring over 20 mm (average) thick base laid over and jointed with grey cement slurry mixed with pigment to match the shade of the slab, including rubbing and polishing complete with base of cement mortar 1 : 4 (1 cement : 4 coarse sand) : 25 mm thick	3.81	sqm			
12	12 mm cement plaster of mix: 1:6 (1 cement: 6 coarse sand)	3.81	sqm			
13	Finishing walls with Acrylic Smooth exterior paint of required shade: 13.46.1 New work (Two or more coat applied @ 1.67 ltr/10 sqm over and including priming coat of exterior primer applied @ 2.20 kg/ 10 sqm) walls & ceiling painting.	756.11	sqm			
14	Finishing with Deluxe Multi surface paint system for interiors and exteriors using Primer as per manufacturers specifications: Painting Steel work with Deluxe Multi Surface Paint to give an even shade. Two or more coat applied @ 0.90 ltr/ 0 sqm over an under coat of primer applied @ 0.80 ltr/ 10 sqm of					
	approved brand and manufacturer	82.85	sqm			



SL					AMOUNT	
NO	DESCRIPTION OF ITEMS OF WORK	QTY	UNIT	RATE(RS)	(RS)	REMARKS
	Providing and fixing aluminium work for doors, windows, ventilators and					
	partitions with extruded built up standard tubular sections/ appropriate Z					
	sections and other sections of approved make conforming to IS: 733 and IS:					
	1285, fixing with dash fasteners of required dia and size, including necessary					
	filling up the gaps at junctions, i.e. at top, bottom and sides with required					
	EPDM rubber/ neoprene gasket etc. Aluminium sections shall be smooth, rust					
	free, straight, mitred and jointed mechanically wherever required including					
	cleat angle, Aluminium snap beading for glazing / paneling, C.P. brass /					
	stainless steel screws, all complete as per architectural drawings and the					
	directions of Engineer-in-charge. (Glazing, paneling and dash fasteners to be paid for separately): Powder coated aluminium (minimum thickness of powder					
15	coating 50 micron) kg	36	Va			
13	Coating 50 inicion) kg	30	Kg			
	Providing and fixing glazing in aluminium door, window, ventilator shutters and					
	partitions etc. with EPDM rubber / neoprene gasket etc. complete as per the					
	architectural drawings and the directions of engineer-in-charge . (Cost of					
	aluminium snap beading shall be paid in basic item): With float glass panes of					
16	4.0 mm thickness	3.6	sqm			
	Chequerred precast cement concrete tiles 22 mm thick in footpath &					
	courtyard, jointed with neat cement slurry mixed with pigment to match the					
	shade of tiles, including rubbing and cleaning etc. complete, on 20 mm thick bed of cement mortar 1:4 (1 cement: 4 coarse sand):Dark shade pigment using					
17	ordinary cement	105.5	cam			
1/	ordinary cernent	103.5	sqm			
	Rendering the surface of walls and ceiling with white cement based wall putty					
18	of approved make and brand(1.5mm thick)	30.2	sqm			
	Polishing only of old marble or terrazo work with oxalic acid powder using 33					
19	gms/ sq.m. by manual labour / machine where necessary.	1196.8	sqm			



SL NO	DESCRIPTION OF ITEMS OF WORK	QTY	UNIT	RATE(RS)	AMOUNT (RS)	REMARKS
NO	Labour for taking out rolling shutter (only shutter portion) dismantling by parts	QII	ONIT	NATE(N3)	(13)	KLIVIAKKS
	for repair or(replacement of damaged parts only), rehanging and refitting the					
	same in position after necessary repairs (excluding the cost of supply of new					
20	parts).	1.55	sqm			
21	Providing, fitting and fixing high density poly-ethylene pipes or P.V.C. pipes for above ground work including cost of jointing materials paints etc. fitting and fixing all necessary specials, cutting pipes, making threads, cutting holes in walls or R.C. floor where necessary and mending good all damages excluding the cost of masonry or concrete work, if necessary, but including the cost and fitting and fixing holder bat clamps(any floor) or for underground work including cutting trenches upto 1.5 metre and refilling the same complete as per direction of the Engineer-in-charge. (Payment will be made on centre line measurement of the total pipeline including specials): 100 mm dia. / 110 mm dia.	15	metre.			
22	Providing corrugated G.S. sheet roofing including vertical / curved surface fixed with polymer coated J or L hooks, bolts and nuts 8 mm diameter with bitumen and G.I. limpet washers or with G.I. Limpet washers filled with white lead, including a coat of approved steel primer and two coats of approved paint on overlapping of sheets complete (up to any pitch in horizontal/ vertical or curved surfaces), excluding the cost of purlins, rafters and trusses and including cutting to size and shape wherever required: 0.80 mm thick with zinc coating	74.62	sam			
	not less than 275 gm/m ² sqm	74.62	sqm			
23	Extra for straight cutting in C.G.S. sheet roofing for making opening of area exceeding 40 sq. decimeter for chimney stacks, sky light etc.: 0.80 mm thick	10	metre			





SL NO	DESCRIPTION OF ITEMS OF WORK	QTY	UNIT	RATE(RS)	AMOUNT (RS)	REMARKS
	Providing ridges or hips of width 60 cm overall width plain G.S. Sheet fixed with					
24	polymer coated J. or L hooks, bolts and nuts 8 mm dia G.I. limpet and bitumen washers complete: 0.80 mm thick with zinc coating not less than 275 gm/m ²	10	metre			
25	Core cutting through RCC slab 40 mm to 100mm dia. (LS)	10	each			
	Grand Total (Rs)					
	(NB: RATES ARE TO BE NOTED IN FIGURE & IN WORDS)					

Rahman



Tenderer are requested to sign & stamp in all pages of bid document and submit in the technical bid (Un-Priced/Technical Bid)

BOQ/Price bid to be printed on bidders letter head and submit inside the Price Bid (Commercial Envelop)

DM(Purchase)

BCPL, Manicktala, Kolkata – 54.