

SCOPE OF WORK

The scope of work under this tender covers supply transportation, loading, Unloading & placement of SS Items like stools, cross over bench, scoops etc. ; Detail of the work is as mentioned in Bill of quantity (BoQ).

Last date & Time of Bid Submission

Opening of Bid Venue for Bid submission & Opening

COMPLETION PERIOD: Two (02) Months, will be reckoned from the date order acceptance/issued.

Eligibility Criteria:

28th July, 2015 up to 4:00Pm

28th July, 2015 up to 4:30Pm

Purchase Department, Bengal Chemicals & Pharmaceuticals Ground Floor of Manicktala Main Office, Manicktala Main Road, Kolkata – 54. The Tenderer to qualify the below criteria for participating in this tender,

- Tenderer must have executed under their Company/ firm's name & style at least 2(Two) order for Stainless Steel items supply.
- Documentary evidence (duly signed & stamped) must be enclosed with the bid.
 Tenderer must have valid registration certificate for Sales Tax, Income Tax, Provident Fund / ESI and Trade License.

(Documentary Evidence to be accompanied the technical Bid)

Bid submission Criteria:

Bidders to be submitted their Bids under two separate sealed covers, one cover containing Part 1 (Un-priced Bid / Technical Bid) & the other cover containing Part 2 (Priced Bid / Commercial Bid). Indicating Tender Name, No, Date with Tender Due Date.. These two bids should be submitted in a single sealed cover with the respective Tender No & Item. Mentioned thereon, complete in all respect, addressed to the DM (Purchase), BENGAL CHEMICALS & PHARMACEUTICALS LTD, 168, MANIKTALA MAIN ROAD, KOLKATA-700 054.

VALIDITY OF OFFER:

Bidders shall keep their offer valid for a period 90 days from the due date / extended due date (if any) of the tender-opening.

NON-CONFORMANCE

Tenders not conforming to the above mentioned requirement are liable to be rejected.

RIGHT OF ACCEPTANCE / REJECTION

Mere issue of tender document and submission of bids does not necessarily qualify for consideration of bids Bengal Chemicals & Pharmaceuticals Ltd reserve the right to accept or reject any tender either in part or in full without assigning any reason whatsoever.

CLARIFICATIONS

For any clarifications please contact Manager Projects & Engineering, BCPL, Maniktala, phone No: (033) 2320-4153 (Ext-108), Mobile no: +91-9830851116.

TERMS OF PAYMENT

- a) **20%** of Contract Value will be paid as advance along with purchase order against Bank guarantee of minimum 90 days validity from a nationalized bank of India.
- **b) 60%** of contract value will be paid against supply of materials at site.
- c) 10% of contract value will be paid against Positioning of materials.
- d) Balance 10% (Ten percent) of the contract value shall be considered for release after completion of Defect Liability Period / Guarantee Period, which shall be 12 months from the date of Positioning/Handing over .The retention money shall be released against submission of Bank Guarantee of equal amount, from any Nationalized Bank of India.



Guarantee

Supplier shall provide full guarantee against any manufacturing defects/poor workmanship/inferior design or quality etc. for a period of 12 months from the date of commissioning or 18months from the date of delivery whichever is later. During this period supplier will arrange to repair/replace any defective part free of cost or replace item if required. Supplier shall guarantee that tall the materials shall be supplied in grand new condition.

INSPECTION:

Materials on its arrival at Client's site will be inspected by Stores In-charge / Client's Representative and Engineer-in-charge and their decision in the matter will be final & binding upon also to the vendor.

Technical Specification:

All the materials to be supplied against the tender BOQ shall comply with below mentioned specifications.

- a) Material of Construct:- All the metallic surface should be constructed of SS304 grade with external surface matte finish (120 grit).
- b) All welds should be ground finished.
- c) Design of fabricated item should enhance cleaning feasibility by providing minimum sharp corners, minimum crevices & smooth. No bolts /nuts on the exterior part of the fabricated items.
- d) Thickness16 gauge where not specified.

TEST CERTIFICATES:

Test Certificates, shall be obtained and furnished to the client free of cost along with the supply. Client reserve the right to avail third party for inspection and testing. Dispute if any to be settled within BCPL, Maniktala, and Kolkata jurisdiction.

STAMPED & SIGNED BY THE BIDDER

FORM OF BID

(To be submitted by the Bidder)

M/s. BCPL, Kolkata

Sub:

Dear Sir,

3. We undertake, in case our bid is accepted, to commence the work from the date of Letter of Award and to complete and deliver the whole of the work and responsibilities comprised in the contract within Three (3) Months calculated from the date of Work Order and as per time schedule given in Tender Document. 5. We agree to abide by and keep our Bid valid initially for a period of 3 months from the date of opening of Bid and it shall remain binding on us and may be accepted at any time before the expiry of that period. 6. Should our Bid be accepted, we hereby agree to abide by and fulfill all Terms and Conditions of Tender Document as accepted by us. We understand that BENGAL CHEMICALS AND PHARMECUTICALS LTD is not bound to accept the lowest or any Bids received and BENGAL CHEMICALS AND PHARMECUTICALS LTD has the right to reject a bid, without assigning any reason whatsoever. 7. This Bid together with written acceptance by way of Work Order thereof, shall constitute a binding CONTRACT between BENGAL CHEMICALS AND PHARMECUTICALS LTD. and ourselves till any formal contract is executed.

8. Dated this ______ day of ______.

Witness – Authorised Signature Signature Occupation Date Address Witness –: DESIGNATION

STAMPED & SIGNED BY THE BIDDER

SCHEDULE OF CONFIRMATION

Questionnaire on Commercial Points to be answered by the Bidder

- 1.0 Name of Bidder Firm/Company
- 1.1Address :
- 1.2Telephone No. :
- 1.3 Fax. No. & E-mail Address :
- 1.4 Banker's Name & Address :
- 1.5 Name & Full address of Chief executive :
- 1.6 Name, Designation and full address of contact person and :

Cell No.,

E-mail address.

- 1.7 Place of manufacture of supply item :
- 1.8 Other information if any (enclose separate sheets) :
- 1.9 VALIDITY OF BID
- 2.0 Please confirm the validity of Bid to be 3 months:

STAMPED & SIGNED BY THE BIDDER

BILL OF QUANTITY AND PRICE BID FORM:

SL	Description of Work (BOQ)	QTY	UNIT	RATE	AMOUNT
NO					
1.	Stainless Steel 20 swg sheet thickness Almira	04	NOS		
	Lockers with 15 nos lockers fitting.Size62"				
	heightx40"widthx20"dip, Self size10" hightx12"				
	widthx20"dip each self x 15 nos.				
2.	Change Room (BG-002)	01(1	NOS		
	Stainless steel 25x25 square pipe with 16 swg	into 2			
	sheet fitting cross over bench for Visitor Change	parts)			
	room size L-2680mm. x W-400mm x 560mm Ht.				
3	Change Room (BG-004)	01(1	NOS		
	Stainless steel 25x25 square pipe with 16 swg	into 2			
	sheet fitting cross over bench for Change room	parts)			
	size L-3460mm W-400mm x 560mm Ht.				
4	Change Room sampling	01	NOS		
	Stainless steel 25x25 square pipe with 16 swg				
	sheet fitting cross over bench for Change room				
	size L-1100mm W-400mm x 560mm Ht.				
5.	Change Room(BG-006)	01(1	NOS		
	Stainless steel 25x25 square pipe with 16 swg	into 2			
	sheet fitting cross over bench for Change room	parts)			
	(Female) size L-3730mm W-400mm x 560mm				
	Ht.				
6.	Stainless Steel 20 swg sheet thickness Almira	04	NOS		
	Lockers with 10 nos locker fitting. Size 62" height				
	x20"Length x20"dip, locker size10" hight x 12"				
	width x 20"dip each self x 10 nos.				
7.	Stainless Steel 304 quality Platform Trolley 40 x	10	NOS		
	40 mm square pipe with base sheet fitting 4 nos				
	revolving pvc wheel fitting. Size : 760mm x				
	510mm x 7 inchs Ht.				
8.	Stainless Steel SS 304 quality Trays 16 swg sheet	4	NOS		
	thickness. Size: 25 inchs. x 18inchs. x 5 inchs				
	depth.				
9.	Stainless steel SS304 quality SOP Stands 18 swg	25	NOS		
	thicknesses. Size: (13.5"X11.1") With hanging				
	facility to hold the A4 paper file of approximately				
	15 pages each.				
10.	Stainless steel SS304 quality first Aid Boxes with	04	NOS		
	wall mounted (15"x10"x 6").				
11.	SS304 quality Change Part Rack. Size: 48" x 18 "x	02	NOS		
	72" height. With four equal shelves.				

man A

12 S.S. stools S304 quality 25 x 25 mm square pipe with top 16 swg sheet fitting Size: (18"X18",& 26" Ht.) 10 NOS 13. S.S. stools with foot rest S5304 quality with top 16 swg sheet fitting Size: (18"X18",& 20" Ht.)					
16 swg sheet fitting Size: (18"X18",& 20" Ht.) Legs will be of 40mm dia round pipe. 07 NOS 14. Stainless steel SS304 quality Packing Tables with foot rest Size: Length 72" Width - 48"Height-30". Legs will be of 40mm dia round pipe. 07 NOS 15. Stainless steel SS304 quality Revolving Chair sitting area Length -17.5" X width 15", & 23" Height & Back rest plating arrangement area : 18" x 10" 16 NOS 16. Compression room Stainless steel SS304 quality table with PVC wheel: Length- 500mm, Width- 450mm, Height-950mm. The unit will have 2 drawers, Centre & Bottom shleves. 1 NOS 17. Jug SS304 quality capacity 3 ltr. 03 NOS 18. Bucket SS304 quality cancid type Bowl Size: 950mm Top Circumferance,650mm base Circumference, height 350mm. 02 NOS 20. Stainless steel SS304 quality Dusthin with lid(Top & bottom Circumference 950mm, height-350 mm. 03 NOS 21. Powder Sampler 30" length. 03 NOS 03 NOS 22. Stainless steel SS304 quality Tools Box (15" lengthx10"widthde" height) 03 NOS 03 NOS 23. Table mounted printed label console length 1140 mm, depth 200mm & height-660 mm will be divided into 30 equal compartments with doors and locking provision. 03 NOS 03 23.	12	with top 16 swg sheet fitting Size: (18"X18",& 26"	10	NOS	
foot rest Size: Length-72" Width- 40"Height-30". Legs will be of 40mm dia round pipe. top 16 swg sheet fitting. 16 NOS 15. Stainless steel SS304 quality Revolving Chair sitting area Length-17.5" X width 15", & 23" Height & Back rest plating arrangement area : 18" x 10") 16 NOS 16. Compression room Stainless steel SS304 quality table with PVC wheel: Length-500mm, Width- 450mm, Height-950mm. The unit will have 2 drawers, Centre & Bottom shelves. 1 NOS 17. Jug SS304 quality. Capacity-10 ltrs. 04 NOS 18. Bucket SS304 quality Capacity J Itr. 03 NOS 19. Stainless steel SS304 quality conical type Bowl Size: 950mm Top Circumferance,650mm base Circumference, height 350mm. 02 NOS 20. Stainless steel SS304 quality Dustbin with lid(Top & bottom Circumference -950mm, height-350 mm. 03 NOS 21. Powder Sampler 30" length. 03 NOS 22. Stainless steel SS304 quality Tools Box (15" lengthx10"widthx8" height) 03 NOS 23. Table mounted printed label console length 1140 mm, depth 200mm & height-660 mm will be divided into 30 equal compartments with doors and locking provision. 02 NOS 23. Stainless steel SS304 quality Spatula. Size: Length-1100mm,pipe 1" dia with scrapping area 6"x 3" x 6mm.(Heavy duty) 02	13.	16 swg sheet fitting Size: (18"X18",& 20" Ht.)	45	NOS	
sitting area Length-17.5" X width 15", & 23" Height & Back rest plating arrangement area : 18" x 10") NOS 16. Compression room Stainless steel SS304 quality table with PVC wheel: Length- 500mm, Width- 450mm, Height-950mm. The unit will have 2 drawers, Centre & Bottom shelves. 1 NOS 17. Jug SS304 quality capacity 3 ltr. 03 NOS 18. Bucket SS304 quality capacity 3 ltr. 04 NOS 19. Stainless steel SS304 quality conical type Bowl Size: 950mm Top Circumferance,650mm base Circumference, height 350mm. 02 NOS 20. Stainless steel SS304 quality Dusthin with lid(Top & bottom Circumference -950mm, height-350 mm. 10 NOS 21. Powder Sampler 30" length. 03 NOS 22. Stainless steel SS304 quality Tools Box (15" lengthx10"widthx8" height) 03 NOS 23. Table mounted printed label console length 1140 mm, depth 200mm & height-660 mm will be divided into 30 equal compartments with doors and locking provision. 02 NOS 23. Stainless steel SS304 quality Spatula. Size: Length-1100mm,pipe 1" dia with scrapping area 6"x 3" x 6mm.(Heavy duty) 02 NOS	14.	foot rest Size: Length-72" Width– 48"Height-30". Legs will be of 40mm dia round pipe.	07	NOS	
table with PVC wheel: Length - 500mm, Width- 450mm, Height-950mm. The unit will have 2 drawers, Centre & Bottom shelves.17.Jug SS304 quality capacity 3 ltr.03NOS18.Bucket SS304 quality. Capacity-10 ltrs.04NOS19.Stainless steel SS304 quality conical type Bowl Size: 950mm Top Circumferance,650mm base Circumference, height 350mm.02NOS20Stainless steel SS304 quality Dustbin with lid(Top & bottom Circumference -950mm, height-350 mm.10NOS21.Powder Sampler 30" length.03NOS22.Stainless steel SS304 quality Tools Box (15" lengthx10" widthx8" height)03NOS23.Table mounted printed label console length 1140 mm, depth 200mm & height-660 mm will be divided into 30 equal compartments with doors and locking provision.02NOS23.Stainless steel SS304 quality Spatula. Size: Length-1100mm,pipe 1" dia with scrapping area 6"x 3" x 6mm.(Heavy duty)02NOS	15.	sitting area Length-17.5" X width 15", & 23" Height & Back rest plating arrangement area : 18" x 10")	16	NOS	
18. Bucket SS304 quality. Capacity-10 ltrs. 04 NOS 19. Stainless steel SS304 quality conical type Bowl Size: 950mm Top Circumferance,650mm base Circumference , height 350mm. 02 NOS 20. Stainless steel SS304 quality Dustbin with lid(Top & bottom Circumference -950mm, height-350 mm. 10 NOS 21. Powder Sampler 30" length. 03 NOS 22. Stainless steel SS304 quality Tools Box (15" lengthx10"widthx8" height) 03 NOS 23. Table mounted printed label console length 1140 mm, depth 200mm & height-660 mm will be divided into 30 equal compartments with doors and locking provision. 02 NOS 23. Stainless steel SS304 quality Spatula. Size: Length-1100mm,pipe 1" dia with scrapping area 6"x 3" x 6mm.(Heavy duty) 02 NOS	16.	table with PVC wheel: Length- 500mm, Width- 450mm, Height-950mm. The unit will have 2	1	NOS	
19.Stainless steel SS304 quality conical type Bowl Size: 950mm Top Circumferance,650mm base Circumference , height 350mm.02NOS20Stainless steel SS304 quality Dustbin with lid(Top & bottom Circumference -950mm, height-350 mm.10NOS21.Powder Sampler 30" length.03NOS22.Stainless steel SS304 quality Tools Box (15" lengthx10"widthx8" height)03NOS23.Table mounted printed label console length 1140 mm, depth 200mm & height-660 mm will be divided into 30 equal compartments with doors and locking provision.302NOS23.Stainless steel SS304 quality Spatula. Size: Length-1100mm,pipe 1" dia with scrapping area 6"x 3" x 6mm.(Heavy duty)02NOS	17.	Jug SS304 quality capacity 3 ltr.	03	NOS	
Size: 950mm Top Circumferance,650mm base Circumference , height 350mm.10NOS20Stainless steel SS304 quality Dustbin with lid(Top & bottom Circumference -950mm, height-350 mm.10NOS21.Powder Sampler 30" length.03NOS22.Stainless steel SS304 quality Tools Box (15" lengthx10"widthx8" height)03NOS23.Table mounted printed label console length 1140 mm, depth 200mm & height-660 mm will be divided into 30 equal compartments with doors and locking provision.02NOS23.Stainless steel SS304 quality Spatula. Size: Length-1100mm,pipe 1" dia with scrapping area 6"x 3" x 6mm.(Heavy duty)02NOS	18.	Bucket SS304 quality. Capacity-10 ltrs.	04	NOS	
& bottom Circumference -950mm, height-350 mm. 03 NOS 21. Powder Sampler 30" length. 03 NOS 22. Stainless steel SS304 quality Tools Box (15" lengthx10"widthx8" height) 03 NOS 23. Table mounted printed label console length 1140 mm, depth 200mm & height-660 mm will be divided into 30 equal compartments with doors and locking provision. 3 NOS 23. Stainless steel SS304 quality Spatula. Size: Length-1100mm,pipe 1" dia with scrapping area 6"x 3" x 6mm.(Heavy duty) 02 NOS	19.	Size: 950mm Top Circumferance,650mm base	02	NOS	
22. Stainless steel SS304 quality Tools Box (15" lengthx10"widthx8" height) 03 NOS 23. Table mounted printed label console length 1140 mm, depth 200mm & height-660 mm will be divided into 30 equal compartments with doors and locking provision. 3 NOS 23. Stainless steel SS304 quality Spatula. Size: Length-1100mm,pipe 1" dia with scrapping area 6"x 3" x 6mm.(Heavy duty) 02 NOS	20	& bottom Circumference -950mm, height-350	10	NOS	
lengthx10"widthx8" height)NOS23.Table mounted printed label console length 1140 mm, depth 200mm & height-660 mm will be divided into 30 equal compartments with doors and locking provision.3NOS23.Stainless steel SS304 quality Spatula. Size: Length-1100mm,pipe 1" dia with scrapping area 6"x 3" x 6mm.(Heavy duty)02NOS	21.	Powder Sampler 30" length.	03	NOS	
mm, depth 200mm & height-660 mm will be divided into 30 equal compartments with doors and locking provision. 23. Stainless steel SS304 quality Spatula. Size: 02 Length-1100mm,pipe 1" dia with scrapping area 02 6"x 3" x 6mm.(Heavy duty) 02	22.		03	NOS	
Length-1100mm,pipe 1" dia with scrapping area 6"x 3" x 6mm.(Heavy duty)	23.	mm, depth 200mm & height-660 mm will be divided into 30 equal compartments with doors	3	NOS	
24. Oil Can. Capacity 200 ml. 03 NOS	23.	Length-1100mm,pipe 1" dia with scrapping area	02	NOS	
	24.	Oil Can. Capacity 200 ml.	03	NOS	

Harman

7 of 10

25.	Vial inspection table Stainless steel SS304 quality:	3	NOS	
	1 station for 3 persons hut to be provided with			
	LED white light & Black and white laminate in			
	dual station operate able from both sides & to be			
	provided with rejected vial console. Tables Size:			
	Length-72" Width– 48"Height-30". Legs will be of			
	40mm dia round pipe .fitting top 16 swg sheet			
	fitting.			
26.	Product card storage console Stainless steel	02	NOS	
	SS304 quality 16 swg thickness :Length-880mm,		1105	
	Depth-370mm, Height-1040mm with six			
	compartment of equal size. Door to be provided			
	with locking provision.			
27.	IPQC TABLE Stainless steel SS304 quality 16 swg	03	NOS	
27.	thickness: Size: 900 mm x 900 mm x 750 mm	05	NOS	
	height with one bottom shelves. Legs will be of			
	40mm dia round pipe.			
	Tomm dia round pipe.			
28.	Stainless steel SS304 quality Storage Drum 16	20	NOS	
20.	swg thickness with lid Size: Height-720mm, Dia-	20	NOS	
	490mm. Detachable lid with handle. Inner side of			
	the drum should have mirror finish.			
29.	Stainless steel SS304 quality Scoop (6"dia x 8"	08	NOS	
29.	length with 1" pipe handle)	00	NOS	
30	Die & Punch cabinet: Made of SS 304 sheet	02	NOS	
00	.Overall size L-20" x depth 30" x h-46", unit will		NOS	
	be divided in 5 drawers of equal size. Each drawer			
	will have inner size L-16", H-6", Depth 30" and			
	outer side length will be 17.6 ".Drawers will move			
	on 50mm x 50mm ss angel of 3 mm thickness and			
	have bearing mechanism. Each Drawers can			
	capable of bear minimum 50 kg weight.			
31	Punch console: Size- Length-370mm x Depth-	04	NOS	
51	290mm x Height- 170mm. The unit will have 50	04	1005	
	holes of 29 mm dia.			
32	Shoe rack(BG004)	01	NOS	
52	Stainless steel SS304 20 swg quality Size: Length-	01	1403	
	72", Height-54", Depth-15" with six shelves &			
	provision for PVC shutter.			
33.	Shoe rack(BG002 & BG006)	02	NOS	
33.	Shoe Fack(BG002 & BG006) Stainless steel SS304 20 swg quality Size: Length-	02	NOS	
	30", Height-54", Depth-15" with six shelves &			
24	provision for PVC shutter.	0.0	NOC	
34	Garment disposable bins	06	NOS	
	SS frame with the bag tieing option to collect the			

Harman

	used corrects of approximately F 10 pc of			
	used garments of approximately 5-10 no. of			
	garments.			
35	Stainless steel SS 316L quality Hopper16 swg	02	NOS	
	thickness with sliding lid Size: Height-12", Dia-8"			
	neck dia 72 mm with tri clover joint & gasket			
	facility. Detachable lid with handle. Both side of			
	the drum should have mirror finish.			
36	Gloves cabinet/tray with lid	15	NOS	
	Size: 300mm length , 300mm width , 120mm			
	height.			
37	Liquid soap dispenser manual(Capacity 150 ml)	10	NOS	
	TOTAL(In figure)			
	TOTAL(In words)			

**The rate shall all inclusive (Inclusive all taxes & duties, transportation, loading Unloading & placement)

STAMPED & SIGNED BY THE BIDDER

Tenderer are requested to sign & stamp in all pages of bid document and submit in the technical bid (Un-Priced/Technical Bid)

BOQ/Price bid to be printed on bidder's letter head and submit inside the Price Bid (Commercial Envelop)

<u>DM(Purchase)</u> BCPL, Manicktala, Kolkata – 54

nam